







Sepiola Online Backup Client

- 
Overview
- 
Backup
- 
Restore
- 
Settings
- 
Logfile

Overview

Backup usage



Backup	35%	711 MB
Incremental backups	30%	598 MB
Free	35%	739 MB

Quota: 2 GB [change quota under Settings](#)

Backup schedule

Last Backups

- ✓ **Successfull** Tuesday, 19.3.09 12:16
- ✓ **Successfull** Wednesday, 19.3.09 12:25
- ✓ **Successfull** Thursday, 19.3.09 12:14

Next Backup

Scheduled Friday, 20.3.09 12:14

[Backup Now!](#)

Sepiola Online Backup Client

Overview

Backup

Restore

Settings

Logfile

Overview

Backup usage

Backup	35%	711 MB
Incremental backups	30%	598 MB
Free	35%	739 MB

Quota: 2 GB [change quota under Settings](#)

Backup schedule

Last Backups

- ✓ **Successfull** Tuesday, 19.3.09 12:16
- ✓ **Successfull** Wednesday, 19.3.09 12:25
- ✓ **Successfull** Thursday, 19.3.09 12:14

Next Backup

Scheduled Friday, 20.3.09 12:14

[Backup Now!](#)

onClick

Backup starten

Anteil der Grösse eines kompletten Backups der aktuellen Auswahl

Links to settings

nimmt folgende Stati an:

- ✓ **Successfull**
- ⚠ **Completed with warnings**
- ✗ **Failed**
- ✗ **Aborted by user**

Overview
Backup
Restore
Settings
Logfile

Backup

Schedule

No schedule, only manual backups

Backup minutes after starting the computer

At on selected days:

Monday
 Tuesday
 Wednesday
 Thursday


Friday
 Saturday
 Sunday

Files & folders Refresh

Select which files & folders you want to back up:

Name	Size	Kind	Date Modified
⌵ /	--	Drive	13.03.09 08:32
⌵ .fsevents	--	Folder	19.03.09 11:16
⌵ .Spotlight-V100	--	Folder	21.02.08 18:08
⌵ .Trashes	--	Folder	21.02.08 18:16
⌵ .vol	--	Folder	25.11.07 09:16
⌵ Applications	--	Folder	19.03.09 12:01
⌵ 1Password.app	--	Folder	04.03.09 22:45
⌵ Address Book.app	--	Folder	09.01.09 14:38
⌵ Alarm Clock.app	--	Folder	05.12.08 15:51
⌵ Contents	--	Folder	10.07.07 07:19
⌵ Frameworks	--	Folder	10.07.07 07:19
⌵ MacOS	--	Folder	10.07.07 07:19
⌵ Resources	--	Folder	10.07.07 07:19
⌵ Info.plist	1 KB	plist File	10.07.07 06:43
⌵ PkgInfo	8 bytes	File	10.07.07 06:43
⌵ Apimac Timer.app	--	Folder	31.12.07 18:30
⌵ AppleScript	--	Folder	09.01.09 14:38
⌵ AppleScript Utility.app	--	Folder	21.02.08 17:39
⌵ Example Scripts	--	Folder	21.02.08 17:18
⌵ Folder Actions Setup.app	--	Folder	21.02.08 17:39
⌵ Script Editor.app	--	Folder	09.01.09 14:38

Cancel Save



10min sind default value

Give a warning when saving without a schedule:
"Warning: You haven't scheduled any backups."
Your data will only be backed up if you perform a manual backup.

12:00 ist default

default ist: alle Tage angewählt
wenn nicht diese Option aktiv ist, sind die Felder not available und nicht editierbar (ausgegraut):

genauere Spezifikationen für diese Ansicht:
SIEHE RESTORE

Default:
Die Treeview wird bis zum Benutzerverzeichnis aufgeklappt.

onClick

onClick

onClick


bei ungespeicherten Änderungen confirm Dialog mit Text:
You have unsaved settings.
If you continue, you loose your changes.


Save ist primary action: blau anzeigen, cancel grau


confirm Dialog mit Text
Are you sure, you want to reset your changes?


confirm Dialog mit Text
Are you sure, you want to save your changes?


Sepiola Online Backup Client


Overview


Backup


Restore


Settings


Logfile

Restore

Select name

Backups are saved under the computername you chose under settings

Select date

Full Restore (restore all files)

Restore selected files & folders

Name	Size	Kind	Date Modified
/	--	Drive	13.03.09 08:32
.fsevents	--	Folder	19.03.09 11:16
.Spotlight-V100	--	Folder	21.02.08 18:08
.Trashes	--	Folder	21.02.08 18:16
.vol	--	Folder	25.11.07 09:16
Applications	--	Folder	19.03.09 12:01
1Password.app	--	Folder	04.03.09 22:45
Address Book.app	--	Folder	09.01.09 14:38
Alarm Clock.app	--	Folder	05.12.08 15:51
Contents	--	Folder	10.07.07 07:19
Frameworks	--	Folder	10.07.07 07:19
MacOS	--	Folder	10.07.07 07:19
Resources	--	Folder	10.07.07 07:19
Info.plist	1 KB	plist File	10.07.07 06:43
PkgInfo	8 bytes	File	10.07.07 06:43
Apimac Timer.app	--	Folder	31.12.07 18:30
AppleScript	--	Folder	09.01.09 14:38
AppleScript Utility.app	--	Folder	21.02.08 17:39
Example Scripts	--	Folder	21.02.08 17:18
Folder Actions Setup.app	--	Folder	21.02.08 17:39
Script Editor.app	--	Folder	00.01.09 14:38

Primäre Navigation anklicken um zum gewünschten Mockups zu gehen

Sepiolo Online Backup Client

Overview

Backup

Restore

Settings

Logfile

Restore

Select name:

Backups are saved under the computername you chose under settings

Select date:

Full Restore (restore all files)

Restore selected files & folders

Name	Size	Kind	Date Modified
---	---	Drive	13.03.09 08:32
./	---	Folder	19.03.09 11:16
./Spotlight-V100	---	Folder	21.02.08 18:08
./Trashes	---	Folder	21.02.08 18:16
./vol	---	Folder	25.11.07 09:16
Applications	---	Folder	19.03.09 12:01
1Password.app	---	Folder	04.03.09 22:45
Address Book.app	---	Folder	09.01.09 14:38
Alarm Clock.app	---	Folder	05.12.08 15:51
Contents	---	Folder	10.07.07 07:19
iPhoto	---	Folder	10.07.07 07:19
MacOS	---	Folder	10.07.07 07:19
Resources	---	Folder	10.07.07 07:19
Info.plist	1 KB	plist File	10.07.07 06:43
Pkginfo	8 bytes	File	10.07.07 06:43
Apimac Timer.app	---	Folder	31.12.07 18:30
AppleScript	---	Folder	09.01.09 14:38
App	---	Folder	21.02.08 17:39
Exam	---	Folder	21.02.08 17:18
Fold	---	Folder	21.02.08 17:39
Cool	---	Folder	00.01.09 14:38

flexible Größe

Bereich wird auf inaktiv gesetzt, wenn nicht aktiv

Default:
Die Treeview wird bis zum Benutzerverzeichnis aufgeklappt.

beide buttons auf default setzen!

bei ungespeicherten Änderungen confirm Dialog mit Text:

You have unsaved settings.
If you continue, you loose your changes.

prompt für restore location

confirm Dialog mit Text:
Are you sure, you want to restore the selected files & folders.
Local files will be overwritten.

confirm Dialog mit Text:
Are you sure, you want to restore the selected files & folders.
Local files will be overwritten.

restore files

Leeres Kästchen zeigt, an das dieses Element nicht ausgewählt ist und keine Unter-elemente ausgewählt sind.

Gutzeichen zeigt an, das dieses Element (mit allen Unter-elementen) ausgewählt ist

Quadrat zeigt an, das dieser Ordner Unter-elemente enthält, welche ausgewählt wurden, aber nicht alle Unter-elemente ausgewählt ist.

☐	onClick	➔	select <input checked="" type="checkbox"/> (mit allen Subelementen)
☑	onClick	➔	deselect <input type="checkbox"/> (mit allen Subelementen)
■	onClick	➔	deselect <input type="checkbox"/> (alle subelemente)

1 - abfangen, wenn gleichnamige files restored werden
- ohne Ordnerstruktur wiederherstellen, alles in den selben Ordner

Sepiola Online Backup Client

Settings

Username

Computer name
Backups are saved under this name


Quota

Display elapsed backups in the Overview

Show hidden files & folders

Keep locally deleted files on the server forever
(it is recommended not to choose this option, as your backups would grow very big very rapidly)








bei ungespeicherten Änderungen
confirm Dialog mit Text:


You have unsaved settings.
If you continue, you loose your changes.


Overview
Backup
Restore
Settings
Logfile


Overview


Backup


Restore



Settings


Logfile

Logfile

```


include=incoming/MacBook2/.sepiola_backup/backupTime --include=.snapshots/ --
include=.snapshots/*/ --include=.snapshots/*/*MacBook2/ --
include=.snapshots/*/*MacBook2/.sepiola_backup/ --
include=.snapshots/*/*MacBook2/.sepiola_backup/backupTime --exclude=* 3724042@online-
backup.stepping-stone.ch: /Users/rstuder/.sepiola
19.03.09 18:01:09      /Applications/sepiola.app/Contents/MacOS/rsync started successfully.
19.03.09 18:01:12      Started: /Applications/sepiola.app/Contents/MacOS/rsync --timeout=3600 -
iilrtxH58 --specials --no-p --no-g --chmod=u=rwX,g=rwx,o=rwx -e
/Applications/sepiola.app/Contents/MacOS/ssh -i '/Users/rstuder/.sepiola/sepiola_id_dsa_open_ssh' -z
3724042@online-backup.stepping-stone.ch:incoming/MacBook2/.sepiola_backup /Users/rstuder/.sepiola
--files-from=
19.03.09 18:01:12      /Applications/sepiola.app/Contents/MacOS/rsync started successfully.
19.03.09 18:01:42      Establishing connection ...
19.03.09 18:01:42      Validating server's fingerprint ...
19.03.09 18:01:42      Started: /Applications/sepiola.app/Contents/MacOS/plink 3724042@online-
backup.stepping-stone.ch sh -c ""
19.03.09 18:01:42      /Applications/sepiola.app/Contents/MacOS/plink started successfully.
19.03.09 18:01:43      Server's fingerprint is correct.
19.03.09 18:01:43      Started: /Applications/sepiola.app/Contents/MacOS/plink -i
/Users/rstuder/.sepiola/sepiola_id_dsa 3724042@online-backup.stepping-stone.ch sh -c 'echo LoggedIn'
19.03.09 18:01:43      /Applications/sepiola.app/Contents/MacOS/plink started successfully.
19.03.09 18:01:44      Login with key was successful
19.03.09 18:01:44      Connection established.
19.03.09 18:01:44      Started: /Applications/sepiola.app/Contents/MacOS/rsync --timeout=3600 -
iilrtxH58 --specials --no-p --no-g --chmod=u=rwX,g=rwx,o=rwx -e
/Applications/sepiola.app/Contents/MacOS/ssh -i '/Users/rstuder/.sepiola/sepiola_id_dsa_open_ssh' --
include=/*/ --exclude=* 3724042@online-backup.stepping-stone.ch:incoming/
19.03.09 18:01:44      /Applications/sepiola.app/Contents/MacOS/rsync started successfully.
19.03.09 18:01:45      Started: /Applications/sepiola.app/Contents/MacOS/rsync --timeout=3600 -
iilrtxH58 --specials --no-p --no-g --chmod=u=rwX,g=rwx,o=rwx -e
/Applications/sepiola.app/Contents/MacOS/ssh -i '/Users/rstuder/.sepiola/sepiola_id_dsa_open_ssh' --
include=incoming/ --include=incoming/MacBook2/ --include=incoming/MacBook2/.sepiola_backup/ --
include=incoming/MacBook2/.sepiola_backup/backupTime --include=.snapshots/ --
include=.snapshots/*/ --include=.snapshots/*/*MacBook2/ --
include=.snapshots/*/*MacBook2/.sepiola_backup/ --
include=.snapshots/*/*MacBook2/.sepiola_backup/backupTime --exclude=* 3724042@online-
backup.stepping-stone.ch: /Users/rstuder/.sepiola
19.03.09 18:01:45      /Applications/sepiola.app/Contents/MacOS/rsync started successfully.
19.03.09 18:01:45      Started: /Applications/sepiola.app/Contents/MacOS/rsync --timeout=3600 -
iilrtxH58 --specials --no-p --no-g --chmod=u=rwX,g=rwx,o=rwx -e
/Applications/sepiola.app/Contents/MacOS/ssh -i '/Users/rstuder/.sepiola/sepiola_id_dsa_open_ssh' -z
3724042@online-backup.stepping-stone.ch:incoming/MacBook2/.sepiola_backup /Users/rstuder/.sepiola
--files-from=
19.03.09 18:01:45      /Applications/sepiola.app/Contents/MacOS/rsync started successfully.
19.03.09 18:17:41      Application closed
20.03.09 08:31:10      Application started
            
```



Anteil an Menge der zu transferierenden Daten

Filename von aktuellem Upload anzeigen

Uploadspeed anzeigen




beim Versuch abzubrechen, confirm Dialog


Your backup isn't finished.

Are you sure, you want to abort the backup process?

Close ist primary action -> als Default setzen




Display log



durch aborted by user ersetzen, wenn Abbruch durch User

Die verwendeten Symbole findet man unter:

<http://wefunction.com/2008/07/function-free-icon-set/>



Text gemäss den Anforderungen auf den anderen Mockups anpassen





Die Meldungen, was das Programm mit dem Server kommuniziert, sollten im Fenster angezeigt werden und nicht im Titel, eines Fensters